





**Eligibility:** Only individuals who are eligible for NRA Pistol Competition pursuant to Section 2 of the NRA Pistol Rules shall

be eligible to compete in this program.

**Awards:** The NRA Distinguished Revolver Badge will be awarded to those competitors who earn a total of 30 points

through unassisted individual competition in NRA Distinguished Revolver Matches. Credit points will be awarded to the

highest scoring 10 percent of all non-Distinguished Revolver competitors firing in the match ranked in order of merit.

Fractions of .5 and over will be resolved to the next whole number. Smaller fractions will not be considered. The winning

10 per cent as described above will be further broken down and credit points awarded as follows:

To the highest scoring 1/6th of the 10% qualifying . . . . . 10 Points

To the next highest scoring 1/3 rd of the 10% qualifying . . . . . 8 Points

To the remaining competitors authorized credit points . . . . . 6 Points

**Course of Fire:** The NRA National Match Course will be used for all competitions under this program. Tournaments

wishing to host competitions under this program are limited to National Championships, Regional Championships, and

State Championships as defined in Rule 1.6 which are conducted outdoors. Where a tournament is conducted in a single

day, multiple relays of this match may be conducted throughout the day. Where a tournament is conducted across two or

more days, multiple relays of this match may be conducted across multiple days and throughout each day.

**Rule 3.1.4 Distinguished Revolver:** The revolver must be capable of chambering and firing a 158-grain round nose or

semi-wadcutter .38 Special cartridge. It must be a factory manufactured revolver with no external modifications except for

stocks which may be modified or changed because of the size of the competitor's hand or to facilitate loading. Except for

stocks and the honing of the sear or sear notch to make a more crisp trigger, and maintain a 2 ½ lb. minimum trigger pull,

no external or internal modification may be made to the revolver as manufactured and sold by the factory of origin. No

parts may be removed from the revolver, either externally or internally, nor may any part be added. Specifically prohibited

is any system of recoil control based upon compensators, barrel venting, barrel porting or weighed grips.

**(a) Trigger** - Must have single and double action capability and must be capable of lifting 2 ½ lbs. when the revolver is

cocked for single action firing. Triggers will be weighed. Any trigger, sold by the manufacturer of the revolver,

without modification, may be used.

**(b) Sights** - Fixed or adjustable rear sights may be used. An adjustable front sight is not allowed.

**(c) Barrel** - Barrel length not to exceed six and one-half inches.

**(d) Stocks** - Except as set forth above, the right and left stocks must be mirror images of each other.

**(e) Ammunition** - New, factory manufactured ammunition or commercially re-manufactured ammunition: .38 Special

